


Esafort is made up of electro-welded steel wires with rectangular or square shaped meshes zinc-coated after welding using the exclusive "**Galvafort Process**". Esafort's extensive product range enables an extremely wide variety of applications in construction, industry, agricultural, breeding, aviary and diy sectors. **Esafort** is sold in 5, 25 and 30 m rolls on pallets wrapped in recyclable polyethylene film.

mesh size mm	ø zinc coated wire mm	H cm	L m	roll kg each	roll/pallet n°
6,3x6,3	0,65	50-100	25	12-24	15
8,3x8,3	0,80	61-81-101	25	17-24-29	15
10,6x10,6	0,90	60-81-101	25	17-23-28	12
12,7x12,7	0,80	51-100	25	9-17	15
12,7x12,7	1,05	51-60-70-80-100	25	14-18-20-23-28	12
12,7x25,4	1,45	51-60-70-80-100	25	22-26-31-35-44	8
16x16	1,20	61-80-101	25	19-25-32	24-12-12
19x19	1,45	51-61-70-80-101-120	25	19-23-27-31-38-46	8
19x19	2,05	101	25	70	6
25,4x25,4	1,75-2,05	102	25	43-55	6
25,4x50,8	2,05	102-150-201	25	40-59-79	6
50,8x50,8	2,05	102-153	25	28-42	6
76,2x12,7	2,45/2,05*	61-76	25	54-67	6
6,3x6,3	0,65	90	30	23,30	12
12,7x12,7	1,05	90	30	27,20	12
12,7x12,7	1,05	120	30	36,70	12
12,7x25,4	1,05	90	30	19,20	12
12,7x25,4	1,05	120	30	25,60	12
12,7x25,4	1,05	180	30	38,40	12
25,4x25,4	1,05	90	30	13,00	12
12,7x12,7	1,60	90	30	71,40	9
12,7x12,7	1,60	120	30	93,60	9
12,7x25,4	1,60	90	30	52,00	9
12,7x25,4	1,60	120	30	69,20	9
12,7x25,4	1,60	180	30	104,00	9
19x19	1,60	60	30	30,30	9
19x19	1,60	90	30	45,50	9
19x19	1,60	120	30	60,70	9
25,4x25,4	1,60	60	30	23,70	9
25,4x25,4	1,60	90	30	35,60	9
25,4x25,4	1,60	120	30	47,50	9
25,4x25,4	1,60	180	30	71,20	9
25,4x25,4	2,00	90	30	57,60	9
25,4x25,4	2,00	120	30	76,80	9

(*): the first value refers to the vertical wire; the second to the horizontal one

The high quality zinc-coating process "**Galvafort Process**", perfected by Cavatorta, makes **Esafort** a highly superior product with various advantages including:

- a homogeneous zinc-coating, which is uniform and extends to every part of the mesh,
- a considerable thicker layer of zinc compared to that required by European standards which gives increased corrosion resistance,
- superior adherence of the protective zinc-coating to the steel wire which prevents it flaking when subjected to bending and shaping.



Upon request, it is possible to produce mesh and wires different from the standard measurements.

